Datasheet



Get a Quote

Overview

Huawei AR G3 AR150 Series AR151W-P fixed interface access wireless router AR0M1515BA00 provides routing and switching functionality for small business or branch offices.

Quick Specification

Model	AR151W-P
Part Number	02354246
Memory	512 MB
Flash	512 MB
Service interfaces (standard configuration)	WAN interfaces: 1 10/100M auto-sensing Ethernet electrical interface LAN interfaces: 4 10/100M auto-sensing Ethernet electrical interfaces
Extended slots	Not supported
Interface number	LAN interfaces: FE0-FE3
Power module type	External power adapter
Weight	2.8 kg (6.17 lb)
Dimensions (W x D x H)	300.0 mm x 216.4 mm x 44.0 mm




Datasheet




Product Details:

The Front Panel:



1)	USB interface (host)
2	Two Wi-Fi antennas

The Back Panel:



3	CON/AUX interface
4	WAN interface: FE electrical interface
(5)	LAN interfaces: four FE electrical interfaces
6	PoE power jack
7	RESET button
8	Power jack
9	Jack for power cable locking strap
(10)	Two Wi-Fi antenna interfaces
(1)	Product model silkscreen
(2)	Ground point



Datasheet



The Accessories for AR151W-P

Compare to Similar Items

Model	<u>AR151W-P</u>	AR2220E
SIC Slots	0	4
Memory	512 MB	1 GB
Flash	512 MB	512 MB
Weight	2.8 kg (6.17 lb)	6 kg (13.2 lb)
Dimensions (W x D x H)	300.0 mm x 216.4 mm x 44.0 mm	442.0 mm x 420.0 mm x 44.5 mm

Get more information:

Do you have any question about the AR151W-P 02354246?

Contact us now via e-mail: info@hi-network.com

Specific Data Sheet:

Part Number	02354246
Model	AR151W-P
First Supported Version	V200R003C00
WAN speed with services* (IMIX)	150 Mbit/s or 100 Mbit/s
Number of recommended users	users 50
Fixed WAN Ports	1 x FE
Fixed Ethernet Switching Ports	8 x FE/4 x FE (can be configured as WAN interfaces)
Fixed Voice Ports	-
Integrated 3G	-
USB 2.0 Ports	1
Console Ports	1
Memory Size	512 MB
Flash Memory	512 MB
PoE Power	-
Maximum Power	36W/24W

Datasheet



Power Supply (AC)	100V to 240V	
Frequency	50 Hz/60 Hz	
Dimensions (H x W x D)	44.5 mm x 300 mm x 220 mm (1.7 in. x 11.8 in. x 8.66 in.)	
Operating Temperature	0°C to 45°C	
Relative Humidity	5% to 95% (non- condensing)	
Basic Features	DHCP server/client, PPPoE server/client, PPPoA server/client, PPPoEoA server/client, NAT, and sub- interface management	
Voice	RTP, SIP, SIP AG, IP PBX/TDM PBX, FXO/FXS, VoIP, BEST, DISA, and SBC (only voice models support voice features)	
WLAN (AP)	AP management, WLAN QoS, WLAN security, WLAN radio management, and WLAN user management (only WLAN models support WLAN AP features)	
WLAN (AC)	AP management (AC discovery/AP access/AP management), CAPWAP, WLAN user management, WLAN radio management (802.11a/b/g/n), WLAN QoS (WMM), and WLAN security (WEP/WPA/WPA2/key management)	
LAN	IEEE 802.1P, IEEE 802.1Q, IEEE 802.3, VLAN management, MAC address management, MSTP, etc.	
IPv4 Unicast Routing	Routing policy, static route, RIP, OSPF, IS-IS, and BGP	
IPv6 Unicast Routing	Routing policy, static route, RIPng, OSPFv3, IS-ISv6, and BGP4+	
Multicast	IGMP v1/v2/v3, PIM SM, PIM DM, and MSDP	
VPN	IPSec VPN, GRE VPN, DSVPN, L2TP VPN, and Smart VPN	
QoS	DiffServ mode, priority mapping, traffic policing (CAR), traffic shaping, congestion avoidance (based on IP precedence/DSCP WRED), congestion management (LAN interface: SP/WRR/SP + WRR WAN interface: PQ/CBWFQ), MQC (traffic classification, traffic behavior, and traffic policy), hierarchical QoS, and Smart Application Control (SAC)	
Security	ACL, firewall, 802.1x authentication, AAA authentication, RADIUS authentication, HWTACACS authentication, broadcast storm suppression, ARP security, ICMP attack defense, URPF, CPCAR, blacklist IP source tracing, and PKI	
Management and Maintenance	Upgrade management, device management, web-based GUI, GTL, SNMP v1/v2c/v3, RMON, NTP, CWMP, auto-config, site deployment using USB disk, NetConf, and CLI	



Datasheet



Want to Buy

Get a Quote









Learn More about Hi-Network

Search our Resource Library

Follow us on LinkedIn

Contact for Sales or Support

Contact HI-NETWORK.COM For Global Fast Shipping

HongKong Office Tel: +00852-66181601

HangZhou Office Tel: +0086-571-86729517

Email: info@hi-network.com

Skype: echo.hinetwork

WhatsApp Business: +8618057156223

