# CP-MIC-WIRED-S Datasheet



Get a Quote

## Overview

Optional Wired Microphone Kit for Cisco Unified IP Conference Phone 8831, 2 Wired microphones

#### **Quick Specification**

Figure 1 shows the appearance of CP-MIC-WIRED-S.



#### Table 1 shows the Quick Specification.

| Product Description     | Cisco Wired Microphone Kit – microphone |
|-------------------------|---|
| Product Type            | Microphone                              |
| Packaged Quantity       | 2 (specifications are for single item)  |
| Recommended Use         | Conference                              |
| Microphone              | External                                |
| Designed For            | Unified IP Conference Phone 8831        |
| Packaged Quantity       | 2 (specifications are for single item)  |
| Product Type            | Microphone                              |
| Width                   | 2.5 in                                  |
| Depth                   | 0.5 in                                  |
| Height                  | 3.5 in                                  |
| Weight                  | 2.36 oz                                 |
| Recommended Use         | Conference                              |
| Connectivity Technology | Wired                                   |
| Frequency Response      | 160 – 20000 Hz                          |



**HI-NETWORK.com** 

Your Global Original Network Supplier

## **CP-MIC-WIRED-S** Datasheet



## **Product Details**

#### **Features and Benefits**

The Cisco Unified IP Conference Phone 8831 offers many improvements. New features include:

- Superior wideband acoustics with the first two-element speaker in a conference phone; this feature allows the phone to capture the full voice spectrum without having to compromise with a single-element speaker
- Expanded room coverage with support for daisy chaining two units
- Support for optional DECT wireless extension microphone: sold separately
- Session Initiation Protocol (SIP) signaling
- Device authentication and signaling encryption using Transport Layer Security (TLS) with Advanced Encryption Standard 128 (AES-128)
- Media encryption using Secure Real-Time Transport Protocol (SRTP) with AES-128

#### **Get More Information**

Do you have any question about the CP-MIC-WIRED-S?

Contact us now via info@hi-network.com.

## **Specification**

|                           | CP-MIC-WIRED-S Specification |  |  |
|---------------------------|------------------------------|--|--|
| Audio Input               |                              |  |  |
| Microphone Operation Mode | Omni-directional             |  |  |
| Microphone Form Factor    | External                     |  |  |
| Connectivity Technology   | Wired                        |  |  |
| Audio System              |                              |  |  |
| Туре                      | Microphone                   |  |  |
| Recommended Use           | Conference                   |  |  |
|                           | Dimensions & Weight          |  |  |
| Width                     | 2.5 in                       |  |  |
| Depth                     | 0.5 in                       |  |  |
| Height                    | 3.5 in                       |  |  |
| Weight                    | 2.36 oz                      |  |  |
| Header                    |                              |  |  |
| Manufacturer              | Cisco Systems                |  |  |



HI-NETWORK.com


obal Oriainal Network Supplier

# **CP-MIC-WIRED-S** Datasheet



| Packaged Quantity | 2                    |  |
|-------------------|----------------------|--|
| Product Line      | Cisco                |  |
| Model             | Wired Microphone Kit |  |
| Brand             | Cisco                |  |
| Miscellaneous     |                      |  |
| Color Category    | Black                |  |

## Want to Buy



# **Contact HI-NETWORK.COM For Global Fast Shipping**

| 1 |
|---|
|   |

- HangZhou Office Tel: +0086-571-86729517
- Email: info@hi-network.com
- Skype: echo.hinetwork
- WhatsApp Business: +8618057156223



Copyright © 2022 Hi-Network.com | HAILIAN TECHNOLOGY CO., LIMITED | All Rights Reserved.