

Overview

AN6001-G16 is a small-sized cassette type optical line access equipment developed by FiberHome. It is designed with pluggable modularized power cards, fan unit, core switch service cards and optical modules for easy installation, deployment and maintenance. It provides GPON access with carrier-class reliability, sound security mechanism and selective QinQ functions. The UNM2000 is used as the network management system to enable centralized management, maintenance and monitoring of the equipment.

Quick Specification

Model	AN6001-G16
Dimensions of the subrack H/W/D	44.4mm*443mm*220mm (without mounting ears)
User-side Interface	GPON
Power Supply	-38.4V DC to -57.6V DC
	90V AC to 290V AC
Multicast Users	1K
Connected ONUs	1K
GPON ports	16

Product Details:

The Front Panel:



[Get a Quote](#)

Compare To Similar Items:

Type	AN6000-17	AN6001-G16
Dimensions of the subrack H/W/D	486mm x 530 mm x 284 mm	44.4mm*443mm*220mm (without mounting ears)
Power	DC voltage rang: -48V	DC voltage range □-38.4V DC to -57.6V DC AC voltage range: 90V AC to 290V AC
User side interfaces	GPON/XG(S)-PON/XG(S) Combo/TWDM-PON/WDM-PON/P2P	GPON

Get more information:

Do you have any question about the AN6001-G16?

Contact us now via e-mail: info@hi-network.com

Specific Data Sheet:

Model	AN6001-G16
Dimensions of the subrack H/W/D	44.4mm*443mm*220mm (without mounting ears)
User-side Interface	GPON
Power Supply	-38.4V DC to -57.6V DC
	90V AC to 290V AC
Multicast Users	1K
Connected ONUs	1K
GPON ports	16

Want to Buy

[Get a Quote](#)[Learn More](#) about Hi-Network[Search](#) our Resource Library[Follow](#) us on LinkedInContact for [Sales or Support](#)

Contact **HI-NETWORK.COM** For Global Fast Shipping

HongKong Office Tel: +00852-66181601

HangZhou Office Tel: +0086-571-86729517

Email: info@hi-network.com

Skype: echo.hinetwork

WhatsApp Business: +8618057156223