

Overview

ZTE GFTH Service Board is a 16-port XGS-PON OLT interface board with N1/N2a module, which can be used in the ZTE OLT ZXA10 C600/C650/C680.

ZXA10 C680 is a 60S high optical access convergence device, 36 line card slot, the industry's most, can provide 576 GPON/10G PON ports.

ZXA10 C650 is a 6U high device with 7 line card slots and can support 112*GPON/10GPON ports.

It is a medium-sized optical access OLT device based on the TITAN platform, which can meet the needs of ultra-high bandwidth access, large video, fixed-mobile convergence, network reconfiguration, carrier-grade QoS and security assurance.


ZXA10 C600 is an 11U high-optical access device with 17/15 line card slots and can support 272/240 GPON/10G PON ports.

Quick Specification

Brand	ZTE
Model	GFTH
Port	16-port
Interface	XG-PON & GPON Combo
Function	XG-PON & GPON service access
Specification	XG-PON & GPON Combo SFP+ interface, with built-in internal multiplexing, SC/UPC optical connector
Weight	1.72 kg
Dimensions (L x H x W)	393.1 mm × 23.9 mm × 214 mm

Product Details:

The Front Panel:



GFTH Service Board Product and More Service Boards:

ZTE GFGN Service Board GPON16-port service board with C+/C++ module suitable for C600

ZTE GFGL Service Board GPON 16-port service board with C+/C++ module suitable for C600

ZTE GFGH Service Board GPON 16-port service board with C+/C++ module suitable for C600

ZTE GFGM Service Board GPON 16-port service board with C+/C++ module suitable for C600

ZTE EFGH Service Board 16 EPON interface board for C600

ZTE GFTH Service Board 16 port 10G GPON interface board for C600

ZTE GFXH Service Board 16 port XG-PON interface board for C600

ZTE GFBH Service Board 16 port GPON & XG PON Combo interface board suitable for C600

ZTE GFCH Service Board 16 port GPON & XGS-PON Combo interface board for C600

ZTE GFBL Service Board 16 port GPON & XG PON Combo interface board suitable for C600

ZTE GFBN Service Board 16 port GPON & XG-PON Combo connect to C board, suitable for C600

ZTE GFBT Service Board 16 port GPON & XG PON Combo interface board for C600

Get more information:

Do you have any question about the GFTH?

Contact us now via e-mail: info@hi-network.com

Specific Data Sheet:

Brand	ZTE
Model	GFTH
Port	16-port
Interface	XG-PON & GPON Combo
Function	XG-PON & GPON service access
Specification	XG-PON & GPON Combo SFP+ interface, with built-in internal multiplexing, SC/UPC optical connector
Weight	1.72 kg
Dimensions (L x H x W)	393.1 mm × 23.9 mm × 214 mm

Want to Buy

[Get a Quote](#)

[Learn More](#) about Hi-Network

[Search](#) our Resource Library

[Follow](#) us on LinkedIn

 Contact for [Sales or Support](#)

Contact HI-NETWORK.COM For Global Fast Shipping

HongKong Office Tel: +00852-66181601

HangZhou Office Tel: +0086-571-86729517

 Email: info@hi-network.com

 Skype: [echo.hinetwork](https://www.skype.com/add?contact=echo.hinetwork)

WhatsApp Business: +8618057156223